

SERVICE MANUAL

COLD DELI 3/4/5 MERCHANDISERS

MODELS

Premium curved and square
Essential curved and square
Self Service curved and square



CD 3 Self service on underframe



CD 5 Square on underframe

- NOTICE -

This manual is prepared for the use of trained Service Technicians and should not be used by those not properly qualified. If you have attended a training for this product, you may be qualified to perform all the procedures in this manual.

This manual is not intended to be all encompassing. If you have not attended a training for this product, you should read, in its entirety, the repair procedure you wish to perform to determine if you have the necessary tools, instruments and skills required to perform the procedure. Procedures for which you do not have the necessary tools, instruments and skills should be performed by a trained technician.

Reproduction or other use of this Manual, without the express written consent of Fri-Jado, is prohibited.

EMPTY

Versions		
Version	Issue date dd/mm/yy	Remarks
09/2007	01/09/2007	First release.
04/2015	01/04/2015	Curved models extended. Square models added.

INDEX

Index	4
General technical data.....	5
Technical data	5
Programming instructions.....	6
Removal and replacement of parts	7
Panels left, right and middle back side	7
Contactor.....	7
Electronic ballast for lighting.....	8
Thermostat Danfoss EKC 102C.....	8
Tumble switch light and cooling.....	9
Blower plate.....	9
Temperature sensor	10
Defrost sensor	11
Blower(s).....	12
Replacing a lamp	13
Gas spring.....	13
Front grip magnets curved model	14
Curved glass	14
Curved glass (alternative procedure when torques key is not available).....	15
Gas spring square model	16
Front glass door square model	17
Protection profile in front (bumper)	18
Side plate left and right, front side.....	18
Installation of optional parts	19
Sliding doors for Essential model	19
Evaporation drip tray	22
Electrical tests and service procedures.....	23
PTC 1K sensor test.....	23
Temperature standard compliance.....	23
Adjusting Danfoss EKC 102C thermostat	24
Danfoss EKC 102C settings (part 1).....	25
Danfoss EKC 102C settings (part 2).....	26
Control location full serve and self serve.....	26
Troubleshooting.....	27
Cold Deli 3/4/5 full serve & self serve.....	27
Exploded views and partlists	28
Cold Deli 3-4-5 Essential Square components drawing	50
Cold Deli 3-4-5 Essential Square components drawing	52
Cold Deli 3-4-5 Premium Square components drawing	54
Cold Deli 3-4-5 Premium Square components drawing	58
Circuit diagram CD 3.....	60
Circuit diagrams	60
Circuit diagram CD 3 remote	61
Circuit diagram CD 4.....	62
Circuit diagram CD 4 remote	63
Circuit diagram CD 5.....	64
Circuit diagram CD 5 remote	65

GENERAL TECHNICAL DATA

This manual covers the Cold Deli Merchandisers. The Merchandisers are available in 3 sizes which can be built into existing counters. Merchandisers can also be delivered on an under frame.

The Merchandisers are available in 3 models:

- Self Service
- Essential
- Premium

All of the information, illustrations and specifications contained in this manual are based on the latest product information available at the time of printing.

TECHNICAL DATA

Type	CD 3	CD 4	CD 5
Power (W) Self Service	900	1100	1200
Power (W) Essential	900	1100	1200
Power (W) Premium	1500	1700	1800
Fuses needed with power connection 230V, 1N ~ 50Hz (1 phase with zero)	1x 10 A	1x 10 A	1x 10 A
Standard plug from factory single pole	Two-pole earthed plug 16 A	Two-pole earthed plug 16 A	Two-pole earthed plug 16 A
sound pressure (dB(A))	< 70	< 70	< 70
Temperature class Self Service*	2M2	2M2	2M2
Temperature class Full Service*	3M1	3M1	3M1
Net weight Self Service (kg)	200	230	275
Net weight Essential (kg)	195 kg	225 kg	265 kg
Net weight Premium (kg)	235 kg	245 kg	305 kg
Gross Weight Self Service (kg)	235 kg	271 kg	324 kg
Gross Weight Essential (kg)	229 kg	265 kg	312 kg
Gross Weight Premium (kg)	276 kg	288 kg	359 kg
Height (mm)	1265	1265	1265
Width (mm)	1086	1419	1752
Depth curved model (mm)	1058	1058	1058
Depth square model (mm)	1063	1063	1063
Height with basis (mm)	1420	1420	1420
Maximum Loading height (mm)	100	100	100
Refrigerant**	R134A	R134A	R404A
Amount of refrigerant (kg)	0.625	0.75	0.85

* Product temperature class according to NEN-EN 441-6

** The refrigerant complies with the environmental requirements applicable at the time of manufacturing of the unit.

Tools

- Standard set of tools.
- Metric wrenches, sockets and hex socket key wrenches.
- Multi meter and AC current clamp meter.
- Temperature tester.
- Insulation value tester (megger)

PROGRAMMING INSTRUCTIONS

DISPLAY ALL MODELS

Switch on

1. Switch on the cooling with switch A7.
2. Switch on the lighting with switch A8.

Switch off

1. Switch off the lighting with switch A8.
2. Switch off the cooling with switch A7.

Check set temperature

During use the temperature is shown on display A3.

1. Press centre key A5.

The set temperature will be shown on the display. The measured temperature will be shown again after 20 seconds.



Check machine status

When the cooling unit has been switched on, the indicator lamp A1 is lit.

A2 is lit during automatic defrosting of the evaporator.

Set the temperature

1. Press centre key A5. The set value will be shown on the display.
2. Set the required temperature using the top (A4) and bottom (A6) keys.
3. Press centre key A5 to save.




WARNING: Disconnect the electrical power to the machine at the main circuit box. Place a tag on the circuit box indicating the circuit is being serviced.

PANELS LEFT, RIGHT AND MIDDLE BACK SIDE




1. Remove the socket screws that secure the panel to the frame.
2. Turn panel towards yourself.
3. Reverse the procedure to install.

Note: The panels can be lifted out from their hinges. First lift out the hinge on the middle panel.



CONTACTOR



1. Remove the left, right and center panel according to prior procedures.
2. Disconnect the wiring on the contactor.
3. Remove the screws fixating the contactor and remove it.
4. Reverse the procedure to install.

ELECTRONIC BALLAST FOR LIGHTING





1. Remove the left panel according to prior procedure.
2. Disconnect the wiring to the electronic ballast.
3. Remove the screws securing the electronic ballast and remove it.
4. Reverse the procedure to install.

Note: The screws are located underneath the wiring.

Note: For better access it might be required to remove the middle panel as well.

THERMOSTAT DANFOSS EKC 102C



1. Remove the left and right hand panel according to prior procedure.
2. Remove the left and right back panel by lifting them out of the hinges.
3. Remove the socket screws that secure the middle panel and turn the panel towards yourself.
4. Loosen the blocking clips on the sides of the thermostat and remove the thermostat.
5. Disconnect the wiring.
6. Reverse the procedure to install.

Note: Set all parameters in the new thermostat.


TUMBLE SWITCH LIGHT AND COOLING



1. Remove the middle panel according to prior procedures.
2. Disconnect the wiring.
3. Remove the switch by pushing the clamps on both sides.
4. Reverse the procedure to install.



BLOWER PLATE




1. Remove the flat plate; there are two lifting eyes in the front which simplify this.
2. Remove the two screws with washers fixing the blower plate.
3. Turn over the blower plate by moving the top of the plate towards the front of the machine.
4. Reverse the procedure to install

TEMPERATURE SENSOR



1. Remove the blower plate according to prior procedure.
2. Loosen the nut securing the sensor and remove the sensor.
3. Remove the rear panels according prior procedure.
4. Disconnect the wiring of the sensor on the thermostat and remove the sensor.
5. Reverse the procedure to install




Note 1: The sensor wiring will pass through the polyurethane foam (also known as PUR or Great Stuff foam), when installing the new sensor some extra sealant should be applied to recreate a watertight fit.



Note 2: when refitting the sensor it is easiest to guide the wiring of the sensor through the hole starting in the product area.



DEFROST SENSOR






1. Remove the blower plate according to prior procedure.
2. Remove the four screws that secure the evaporator plate and remove the plate.
3. Remove the sensor from the evaporator by gently folding back the metal blades of the evaporator.
4. Remove the rear panels according prior procedure.
5. Disconnect the wiring of the sensor on the thermostat and remove the sensor.
6. Reverse the procedure to install

Note 1: When removing the evaporator plate both rear corners of the plate may get stuck in the corners of the unit, some maneuvering and guiding by hand should solve this.

Note 2: The sensor will pass through the polyurethane foam (also known as PUR or Greatstuff foam), when installing the new sensor some extra sealant should be applied to recreate a watertight fit.

Note 3: When refitting the sensor it is easiest to guide the wiring of the sensor through the opening starting in the product area.




BLOWER(S)

1. Remove the blower plate according to prior procedure.
2. Disconnect the wiring of the blower.
3. Remove the fan blade by unscrewing the bolt in the centre of the blade.
4. Remove the four screws securing the motor to the grill and remove the motor.
5. Reverse the procedure to install.


Note: The blower blade may be sharp.

REPLACING A LAMP




1. Remove the sliding doors from the unit (if present).
2. Dismount the window profile by removing the screws at the bottom side of the light cover (1).
3. Carefully slide the window out of the frame by moving it toward you and place it in a safe place (2).
4. Remove the PL lamp by pulling it lengthwise out of the holder. Do this carefully to avoid breaking.
5. Reverse the procedure to install.

GAS SPRING



1. Turn the curved glass to the top position.
2. Loosen the adjusting screw on the gas spring.
3. Remove the pin out of the gas spring. Be aware of supporting the glass.
4. Remove the gas spring.
5. Reverse the procedure to install.


FRONT GRIP MAGNETS CURVED MODEL



1. Remove the screw securing the side plate of the grip.
2. Remove the magnet holder by sliding it outwards, a controlled knock with a hammer might be necessary to remove the magnet holder.
3. Reverse procedure to install.

Note: the appliance has two separate sets of magnet holders, another set is located inside the front profile.

CURVED GLASS






1. Turn the curved glass to the top position.
2. Remove the cover plates on the mounting profile (if necessary).
3. Loosen the adjusting screws that secure the glass with the special torques key TX15.
4. Remove the curved glass.
5. Remove the front grip magnets according to prior procedure.
6. Place the new glass with the plastic protection profile.
7. Reverse the procedure to install.

Note1: The cover plates are fixed with high temperature resistant sealant.

Note2: Special torques key (TX15) is supplied with the delivery of a new curved glass.




CURVED GLASS (ALTERNATIVE PROCEDURE WHEN TORQUES KEY IS NOT AVAILABLE)



1. Remove the lighting glass according to prior procedure.
2. Remove the 2 socket screws of the lamp housing in the front and the 4 socket screws in the back and turn the reflector downward.
3. Remove the 4 socket screws of the frame that secures the lamp housing to the light fixture and remove the frame. As depicted in the second image.
4. Turn the curved glass to the top position.
5. Remove on left and right top side the upper bolts that secure the light fixture to the console.
6. Loosen the lower bolts on left and right top side.
7. Turn the light fixture downwards, to create extra space for a regular Allen key or torques key.
8. Loosen the adjusting screws that secure the glass.
9. Remove the curved glass.
10. Remove the front grip magnets according to prior procedure.
11. Place the new glass with the plastic protection profile.
12. Reverse the procedure to install.

GAS SPRING SQUARE MODEL



1. Turn the front glass to the top position.
2. Remove the screw on the bottom side of the gas spring.
3. Remove the pin out of the gas spring. Be aware of supporting the glass.
4. Loosen the adjusting screw on the top side of the gas spring.
5. Remove the pin out of the gas spring.
6. Remove the gas spring.
7. Reverse the procedure to install.



FRONT GLASS DOOR SQUARE MODEL



1. Turn the front glass to the top position.
2. Remove the screw on the bottom side of the gas spring.
3. Remove the pin out of the gas spring. Be aware of supporting the glass.
4. Remove the 2 screws on the top side and remove the gas spring.
5. Also remove the gas spring on the other side.
6. Take out the front glass and place this on a table.
7. Loosen the screws that secure the front glass and remove the glass.
8. Reverse the procedure to install.





Note 1: It is advisable to replace the glass door with the assist of a second person.

Note 2: Be sure that the black gasket is between the glass and alluminium profile.



PROTECTION PROFILE IN FRONT (BUMPER)



1. Remove the profile with a screw driver.
Slide screw driver along the length of the profile to remove the profile.
2. Install the new bumper.

Note: To prevent scratching a piece of cloth could be placed between the metal of the profile and the screwdriver.



SIDE PLATE LEFT AND RIGHT, FRONT SIDE



1. Remove the side glass.
2. Loosen the bolts on the bottom side that secure the side plate and remove this plate.
3. Loosen the bolts and rivets on the front bottom side that secure the aluminium front and remove this front.
4. Remove the side plate.
5. Reverse the procedure to install.

Note: when replacing the front panel, also transfer the magnets and holders on the inside of the panel. These can be removed by pulling the middle outwards slightly and sliding them out.

INSTALLATION OF OPTIONAL PARTS


SLIDING DOORS FOR ESSENTIAL MODEL

Part number of the entire set of needed parts:


CD 3: 9260170

CD 4: 9260171


CD 5: 9260172




1. Drill out the blind rivets in the air output profile.



2. Place the sliding door holder profile over the newly created holes.
3. Rivet the profile into place using the three blind rivets.




4. Place the sliding door profile in the newly attached sliding door holder profile




5. Remove the 4 socket screws fixating the lighting window holder and remove this profile.


Note: the removed profile will not be re-used; the socket screws though will be re-used.



6. Place the sliding door top profile into the space as indicated.




7. Place the new lighting window holder.
8. Attach the window holding profile with the socket screws.



9. Place the neoprene bumper in the hole as indicated.
10. Attach the door handle to the window by using the supplied screws to attach the handle to the bumper profile.


Note: the part of the bumper profile with the bumper should be placed towards the long side of the glass.



11. Install the sliding door by first inserting the upper half of the door in the rear upper groove.

12. Now gently place the lower half in the lower rear groove.


Note: The door should be placed in such a fashion that the bumper on the handle is pointing towards the inside of the machine.



13. Install the second sliding door by inserting the upper half of the door in the rear upper groove.


14. Now gently place the lower half in the front lower groove.

Note: The door should be placed in such a fashion that the bumper on the handle is pointing towards the inside of the machine.



15. To finish the job, place a protective bumper on each side of the console. These will protect the sliding door from bumping into the metal of the console.

EVAPORATION DRIP TRAY



Part number of the entire evaporation drip tray:

All models: 9260150

1. Gain access to the left side of the cooling unit (left when standing on the service side). Make sure there is enough space to place the evaporation drip tray.
2. Attach the evaporation drip tray frame to the cooler housing frame with nuts and bolts.
3. Connect the plug of the evaporation drip tray to the cooling unit with a ty-rap.
4. Cut the hose connected to the drain, to a suitable length so that the water always enters the water reservoir of the evaporator but the tube never touches the heating elements.



Note: Before installing the drip tray make sure the water drain tube is empty.

ELECTRICAL TESTS AND SERVICE PROCEDURES

WARNING: Disconnect the electrical power to the machine at the main circuit box. Place a tag on the circuit box indicating the circuit is being serviced.

PTC 1K SENSOR TEST

1. Remove the right, left and middle panel according to prior procedure.
2. Remove the wiring from the sensor.
3. Connect a temperature tester to the probe of the sensor for comparison.
4. Test the probe with an Ohmmeter.

Temperature		Resistance Ω
$^{\circ}\text{F}$	$^{\circ}\text{C}$	± 5 Ohms
-4	-20	951
14	-10	877
32	0	807
50	10	740
68	20	677
77	25	990

TEMPERATURE STANDARD COMPLIANCE

The cold deli merchandisers complies with the NEN-EN-ISO 23953-2:2005 standard, this standard specifies requirements for the construction, characteristics and performance of refrigerated display cabinets used in the sale and display of foodstuffs.

ADJUSTING DANFOSS EKC 102C THERMOSTAT

Changing the set point

1. Press the middle button until the temperature value is shown.
2. Change value with upper or lower button.
3. Press the middle button to confirm.



Setting internal parameters

1. Press the upper button for 3 seconds. In the display the first parameter will now appear (r01).
 2. Press the middle button to display the value of the parameter.
 3. Change the value with the upper or lower buttons.
 4. Press the middle button to confirm.
 5. Press the lower button for the next parameter. Follow instructions 2 to 4 to change it.
- When no button is pressed after last confirmation, the system will go back to normal operation mode after 20 seconds.

Replacing of the thermostat

When installing a new thermostat always change parameter r05 to 0 (°C), otherwise some parameters cannot be changed to their desired value. Once inside the parameter settings menu the up or down buttons can be used to navigate through the parameters.

Options

1. Return to factory settings. Turn the power off. Press and hold the upper and lower button and switch the power on at the same time.
2. Manual start or stop of the defrost cycle. Press the lower button for 4 seconds.
3. Actual temperature of sensor 1 (Thermostat). Shortly press the up key 2 times.
4. Actual temperature of sensor 2 (Evaporator). Shortly press the down key 2 times.

Alarm codes on display

The LED's indicating refrigeration and defrost will flash when there is an alarm. To read out the alarm code, press the upper button briefly.

A1: High temperature alarm.

A2: Low temperature alarm.

Error codes on display

E1: Fault in controller.

E27: Evaporator temperature sensor broken or wiring problem

E29: Cabinet sensor broken or wiring problem sensor.

DANFOSS EKC 102C SETTINGS (PART 1)

Parameters		CD 3-4 Full Service	CD 5 Full Service	CD 3-4 Self Service	CD 5 Self Service	Standard value from supplier
Codes	Function					
Normal Operation						
-	Temperature (set point)	1,5°C	0,5	2°C	0,5C	2°C
Thermostat						
r01	Differential	2 K	2 K	2 K	2 K	2 K
r02	Higher setpoint limit	5°C	5°C	6°C	6°C	50°C
r03	Lower setpoint limit	-2,5°C	-2,5°C	-3°C	-3°C	-50°C
r04	Off-set temperature indication	0 K	0 K	0 K	0 K	0 K
r05	Temperature unit (°C/°F)	°C	°C	°C	°C	°C
r09	Correction of the signal from air output	0 K	0 K	0 K	0 K	0 K
r12	start/stop regulation (1/0)	1	1	1	1	1
r13	Night setback value	0 K	0 K	0 K	0 K	0 K
Alarm						
A03	Delay temperature alarm	30 min	30 min	30 min	30 min	30 min
A04	Delay door alarm	60 min	60 min	60 min	60 min	60 min
A12	Delay temperature alarm after defrost	90 min	90 min	90 min	90 min	90 min
A13	High alarm limit	10°C	10°C	10°C	10°C	10°C
A14	Low alarm limit	-30°C	-30°C	-30°C	-30°C	-30°C
A37	High alarm limit for condenser	50°C	50°C	50°C	50°C	50°C
Compressor						
c01	Min. ON-time compressor	0 min	0 min	0 min	0 min	0 min
c02	Min. OFF-time compressor	3 min	3 min	3 min	3 min	0 min
c05	Time delay second compressor	5 sec	5 sec	5 sec	5 sec	5 sec
c30	Reversed function compressor relay	OFF	OFF	OFF	OFF	OFF
Defrost						
d01	Defrost method (0=none / 1=natural)	1	1	1	1	1
d02	Defrost end temperature	4°C	4°C	4°C	4°C	6°C
d03	Defrost interval	4 hours	4 hours	3 hours	3 hours	8 hours
d04	Maximal defrost duration	45 min	45 min	45 min	45 min	45 min
d05	Time delay defrost at start-up	0 min	0 min	0 min	0 min	0 min
d10	Defrost sensor (1=S5, 2=Sair)	1	1	1	1	0
d13	Defrost at start-up	no	no	no	no	no
d18	Max. refrigeration time between two defrosts	4 hours	4 hours	3 hours	3 hours	8 hours
d19	Defrost on demand (20=off)	20 K	20 K	20 K	20 K	2 K
Miscellaneous						
o01	Delay of output signals after start-up	5s	5s	5s	5s	5s
o02	Digital input signal (0=not used)	0	0	0	0	0
o05	Access code 1 (0 = not used)	0	0	0	0	0
o06	Sensor type (Pt /PTC/NTC)	PTC	PTC	PTC	PTC	Pt
o15	Display step (yes= 0.5 / no= 0.1)	no	no	no	no	no
o64	Access code (0= not used)	0	0	0	0	0
o65	Copy parameter settings (0 = not used)	0	0	0	0	0
o66	Loading paramater settings	0	0	0	0	0
o67	Replacing factory settings with the present settings	OFF	OFF	OFF	OFF	OFF
o69	Function Saux sensor (0=not used)	0	0	0	0	0
o70	Function S5 sensor (0=defrost, 1= product)	0	0	0	0	0
o71	Function relay 2 (1=compr./defrost, 2 = alarm relay)	1	1	1	1	1

DANFOSS EKC 102C SETTINGS (PART 2)

Parameters		CD 3-4 Full Service	CD 5 Full Service	CD 3-4 Self Service	CD 5 Self Service	Standard value from supplier
Codes	Function					
Service						
u03	Temperature measured with Saux sensor	-	-	-	-	-
u09	Temperature measured with S5 sensor	-	-	-	-	-
u10	Status on DI 1 input.	-	-	-	-	-
u58	Status on relay for cooling	-	-	-	-	-
u70	Status on relay 2	-	-	-	-	-

CONTROL LOCATION FULL SERVE AND SELF SERVE

A1 Indicator (refrigeration) ON

A2 Indicator defrost ON

A3 Display temperature

A4 Up key


A5 Set key

A6 Down key

A7 Cooling switch

A8 Lighting switch

If the merchandiser is switched on, the indicator lamp A1 will switch on.




TROUBLESHOOTING

COLD DELI 3/4/5 FULL SERVE & SELF SERVE

Symptom	Possible causes
No power to controls.	1. Main breaker open. 2. Tumble switch malfunction. 3. Wiring loose.
No indication on electronic thermostat, but the lighting functions.	1. Electronic thermostat defective. 2. Tumble switch malfunction. 3. Wiring loose.
Display does not reach set temperature.	1. Incorrect line voltage. 2. PTC-1000 temperature sensor malfunction. 3. Cooling system inoperative or defective. 4. Condenser filled with dust. 5. Blower condenser malfunction. 6. Airflow around condenser blocked. 7. Ambient temperature too high. 8. Contactor inoperative. 9. Defrosting sensor malfunction. 10. Incorrectly programmed thermostat. 11. One or more blowers defective. 12. Unit is positioned in direct sunlight or near a heat source. 13. Product is stacked too high. 14. Unit is wrongfully installed and cannot dispose of heat.
Cooling system does not initiate (compressor does not run).	1. PTC-1000 temperature sensor malfunction. 2. Compressor defective or parts associated with it. 3. Contactor inoperative. 4. Incorrectly programmed thermostat. 5. Defrosting sensor malfunction. 6. Wiring loose.
Cooling compressor switches on and off on the thermistor inside the compressor.	1. Condenser filled with dust. 2. Blower condenser malfunction. 3. Airflow around condenser blocked. 4. Tension too low. 5. Products inside the cabinet are too warm. 6. Too much refrigerant in the system.
Evaporation drip tray overflowing.	1. Heater(s) inoperative or defective. 2. Thermostat malfunction. 3. Wiring loose. 4. Relative humidity of the surrounding area too high.
Water does not drain.	1. Clogged drain pipe and or tube.
No lighting.	1. Incorrect line voltage. 2. Electrical ballast defective. 3. Light bulb defective. 4. Tumble switch malfunction. 5. Wiring loose.
No air circulation within the merchandiser.	1. Obstruction of one or more of the ventilation openings in the front or rear. 2. One or more blowers inoperative or defective. 3. Evaporator frosted or clogged with dirt. 4. Wiring loose.
Ice on evaporator.	1. High humidity. 2. Setpoint too low.
Error E1 on display thermostat.	1. Fault in controller. Try to reset by pulling plug out and in again.
Error E27 on display thermostat.	1. Evaporator temperature sensor broken or wiring problem.
Error E29 on display thermostat.	1. Cabinet temperature sensor broken or wiring problem.

EXPLODED VIEWS AND PARTLISTS

COLD DELI 3-4-5 SELF SERVICE ASSEMBLY DRAWING




Item	Part nr.	Model	Qty	Description
1	92620425	CD 3	1	Glass, top, ass.
1	92620415	CD 4	1	Glass, top, ass.
1	92620405	CD 5	1	Glass, top, ass.
1-1	9262042	CD 3	1	Glass, top
1-1	9262041	CD 4	1	Glass, top
1-1	9262040	CD 5	1	Glass, top
1-2	9263049	CD 3	2	Protection profile (plastic)
1-2	9263055	CD 4	2	Protection profile (plastic)
1-2	9263056	CD 5	2	Protection profile (plastic)
2	9263010	CD 3	1	Mounting profile, glass
2	9263005	CD 4	1	Mounting profile, glass
2	9263001	CD 5	1	Mounting profile, glass
3	9261027	All models		Socket set screw M6x8, Torx, stainless steel
4	9262034	All models	2	Cover plate
5	4288324	All models	2	Screw M 4x8, SS socket button head
6	9262022	All models	1	Sideglass right
7	9262023	All models	1	Sideglass left
8	9265016	CD 3	1	Light fixture
8	9264563	CD 4	1	Light fixture
8	9264555	CD 5	1	Light fixture
10	4288322	All models	8	Screw M5 x 10, SS socket button head
11	9264062	All models	1	Profile, sideglass right
12	9264063	All models	1	Profile, sideglass left
13	9262005	All models	1	Console left, ass.
14	9262004	All models	1	Console right, ass.
15	9241000	All models	1	Bumper, console (20 pieces)
16	9261020	CD 3	1	Gas spring 100 N
16	9261020	CD 4	2	Gas spring 100 N
16	9261020	CD 5	2	Gas spring 100 N
17	9261024	CD 3	1.1 mtr	Protection profile (plastic)
17	9261024	CD 4	1.5 mtr	Protection profile (plastic)
17	9261024	CD 5	1.8 mtr	Protection profile (plastic)
18	9262032	CD 3	1	Profile, sliding door, top
18	9262030	CD 4	1	Profile, sliding door, top
18	9262028	CD 5	1	Profile, sliding door, top
19	9262026	CD 3	2	Glass, sliding door
19	9262025	CD 4	2	Glass, sliding door
19	9262024	CD 5	2	Glass, sliding door
20	8065038	All models	2	Door handle
21	9184253	All models	2	Bumper profile
22	9086207	All models	2	Bumper
23	0147674	All models	4	Screw M 4x25, SS cross recess head (philips)
24	9262033	CD 3	1	Profile, sliding door, bottom
24	9262031	CD 4	1	Profile, sliding door, bottom
24	9262029	CD 5	1	Profile, sliding door, bottom

Item	Part nr.	Model	Qty	Description
25	9264070	CD 3	1	Holder, sliding door profile
25	9264065	CD 4	1	Holder, sliding door profile
25	9264056	CD 5	1	Holder, sliding door profile
26	9265120	CD 3	1	Air outlet
26	9265122	CD 4	1	Air outlet
26	9265124	CD 5	1	Air outlet
27	9264532	CD 3	1	Insulation protection
27	9264522	CD 4	1	Insulation protection
27	9264506	CD 5	1	Insulation protection
28	9264533	CD 3	1	Exhaust profil
28	9264523	CD 4	1	Exhaust profil
28	9264507	CD 5	1	Exhaust profil
29	9260500	CD 3	1	Inner housing
29	9260505	CD 4	1	Inner housing
29	9260510	CD 5	1	Inner housing
30	9263040	CD 3	1	Protection profile (plastic)
30	9263041	CD 4	1	Protection profile (plastic)
30	9263042	CD 5	1	Protection profile (plastic)
31	8071036	All models	2	Plug, end
32	9263045	CD 3	1	Mounting profile
32	9263046	CD 4	1	Mounting profile
32	9263047	CD 5	1	Mounting profile
33	9263013	CD 3	1	Front, aluminium
33	9263008	CD 4	1	Front, aluminium
33	9263004	CD 5	1	Front, aluminium
34	9264112	All models	1	Side-plate, left front
35	9264111	All models	1	Side-plate, right front
36	9262101	CD 3	1	Lower window
36	9262103	CD 4	1	Lower window
36	9262105	CD 5	1	Lower window
37	9264018	All models	1	Bracket, pan support
38	9263049	CD 3	2	Protection profile (plastic)
38	9263055	CD 4	2	Protection profile (plastic)
38	9263056	CD 5	2	Protection profile (plastic)
39	9264208	All models	1	Operation panel
40	9263030	CD 3	3	Glass holder
40	9263030	CD 4	4	Glass holder
40	9263030	CD 5	4	Glass holder
41	9222076	All models	1	Strain relief M20
42	9222077	All models	1	Nut, relief strain M20
43	9091383	All models	1	Connecting cable with plug
44	9181030	All models	4	Adjustable leg
45	9264621	CD 3	1	Cover profile, inner frame
45	9264616	CD 4	1	Cover profile, inner frame
45	9264611	CD 5	1	Cover profile, inner frame
46	9264084	All models	1	Side-plate, left
47	9264083	All models	1	Side-plate, right


Item	Part nr.	Model	Qty	Description
48	9264091	CD 3	1	Work plateau, service side
48	9264086	CD 4	1	Work plateau, service side
48	9264076	CD 5	1	Work plateau, service side
49	9260240	CD 3	2	Back panel
49	9260242	CD 4	2	Back panel
49	9260244	CD 5	2	Back panel
50	9264220	CD 3	1	Plateau
50	9264210	CD 4	1	Plateau
50	9264201	CD 5	1	Plateau
51	9265017	All models	1	Side panel, left
52	9265018	All models	1	Side panel, right
53	9264000	All models	2	Side panel, frame
54	9110917	All models	1	Indication plate

Bracket cutting board 9264486



EMPTY PAGE


COLD DELI 3-4-5 SELF SERVICE COMPONENTS DRAWING



Item	Part nr.	Model	Qty	Description
70	9264571	CD 3	1	Fixation light fitting
70	9264561	CD 4	1	Fixation light fitting
70	9264551	CD 5	1	Fixation light fitting
71	9264570	CD 3	1	Reflector
71	9264560	CD 4	1	Reflector
71	9264550	CD 5	1	Reflector
72	9262095	CD 3	1	Glass, illumination
72	9262096	CD 4	1	Glass, illumination
72	9262097	CD 5	1	Glass, illumination
74	9221006	CD 3	2	Lamp, PLL 36 W
74	9160019	CD 4	2	Lamp, PLL 55 W
74	9160019	CD 5	2	Lamp, PLL 55 W
75	9222210	All models	2	Lamp support
76	9264552	All models	1	Lamp holder
77	9264554	All models	1	Lamp support, PL
78	9082897	All models	2	Lamp holder
79	9261010	All models	1	Thermostat
80	9181008	All models	2	Switch, tumble
81	9261005	All models	1	Sticker, cooling
82	9181071	All models	1	Sticker, lighting
83	9261015	CD 3	1	Cooling unit
83	9261017	CD 4	1	Cooling unit
83	2541212	CD 5	1	Cooling unit
84	9264309	All models	1	Suction plate
85	9264371	All models	1	Fastening bracket
86	9264308	All models	1	Frame, condensing unit
87	9264602	All models	1	Fastening frame
88	9264605	All models	1	Fastening frame, left
89	9264753	All models	1	Cover plate
90	8071071	CD 3	1	Blower motor
90	8071071	CD 4	2	Blower motor
90	8071071	CD 5	2	Blower motor
91	8071028	CD 3	1	Fanblade
91	8071028	CD 4	2	Fanblade
91	8071028	CD 5	2	Fanblade
92	8071070	CD 3	1	Fan cover
92	8071070	CD 4	2	Fan cover
92	8071070	CD 5	2	Fan cover
93	9264600	All models	1	Mounting plate, electrical components
94	2005501	All models	1	ground rail
95	9151010	All models	1	Connecting block
96	9191181	All models	1	Magnetic switch


Item	Part nr.	Model	Qty	Description
97	9221014	CD 3	1	Ballast, 2x 36W
97	9181009	CD 4	1	Ballast, 2x 55 W
97	9181009	CD 5	1	Ballast, 2x 55 W
98	9264536	CD 3	1	Fan plate
98	9264527	CD 4	1	Fan plate
98	9264511	CD 5	1	Fan plate
99	9262201	CD 3	1	Evaporator
99	9262202	CD 4	1	Evaporator
99	9262203	CD 5	1	Evaporator
100	9264535	CD 3	1	Evaporator plate
100	9264525	CD 4	1	Evaporator plate
100	9264509	CD 5	1	Evaporator plate
101	9221011	All models	2	Temperature sensor
102	8072070	All models	1	Connecting block
103	9265119	CD 3	1	Crumble profile
103	9265121	CD 4	1	Crumble profile
103	9265123	CD 5	1	Crumble profile

COLD DELI 3-4-5 ESSENTIAL (FULL SERVICE) ASSEMBLY DRAWING



Item	Part nr.	Model	Qty	Description	Item	Part nr.	Model	Qty	Description
1	92602305	CD 3	1	Glass, bended, complete with profiles	19	9260500	CD 3	1	Inner housing
1	92602315	CD 4	1	Glass, bended, complete with profiles	19	9260505	CD 4	1	Inner housing
1	92602325	CD 5	1	Glass, bended, complete with profiles	19	9260510	CD 5	1	Inner housing
1-1	9262037	CD 3	1	Glass, bended, without profiles	20	9264371	All models	1	Bracket, suction grid
1-1	9262036	CD 4	1	Glass, bended, without profiles	21	9263040	CD 3	1	Protection profile (plastic)
1-1	9262035	CD 5	1	Glass, bended, without profiles	21	9263041	CD 4	1	Protection profile (plastic)
1-2	9263011	CD 3	1	Glass handle	21	9263042	CD 5	1	Protection profile (plastic)
1-2	9263006	CD 4	1	Glass handle	22	8071036	All models	2	Plug, end
1-2	9263002	CD 5	1	Glass handle	23	9263045	CD 3	1	Mounting profile
1-3	9261024	CD 3	1.1 mtr	Protection profile (plastic)	23	9263046	CD 4	1	Mounting profile
1-3	9261024	CD 4	1.5 mtr	Protection profile (plastic)	23	9263047	CD 5	1	Mounting profile
1-3	9261024	CD 5	1.8 mtr	Protection profile (plastic)	24	9263013	CD 3	1	Front, aluminium
1-4	9264595	All models	2	Magnet holder	24	9263008	CD 4	1	Front, aluminium
1-5	9264596	All models	2	Cover plate	24	9263004	CD 5	1	Front, aluminium
1-6	9191182	All models	2	Magnet block	25	9264112	All models	1	Side-plate, left front
1-7	4288324	All models	2	Screw M 4x8, SS socket button head	26	9264111	All models	1	Side-plate, right front
2	9263010	CD 3	1	Mounting profile, glass	27	9191182	All models	2	Magnet block
2	9263005	CD 4	1	Mounting profile, glass	28	9264594	All models	2	Magnet holder, inner
2	9263001	CD 5	1	Mounting profile, glass	29	9265017	All models	1	Side panel, left
3	9261027	All models		Socket set screw M6x8, Torx, stainless steel	30	9265018	All models	1	Side panel, right
4	9262034	All models	2	Cover plate	31	9181030	All models	4	Adjustable leg
5	4288324	All models	2	Screw M 4x8, SS socket button head	32	9264000	All models	2	Side panel, frame
6	9262022	All models	1	Sideglass right	33	9264208	All models	1	Operation panel
7	9262023	All models	1	Sideglass left	34	9222076	All models	1	Strain relief M20
8	9265016	CD 3	1	Light fixture	35	9222077	All models	1	Nut, relief strain M20
8	9264563	CD 4	1	Light fixture	36	9091383	All models	1	Connecting cable with plug
8	9264555	CD 5	1	Light fixture	37	9264621	CD 3	1	Cover profile, inner frame
9	9264220	CD 3	1	Plateau	37	9264616	CD 4	1	Cover profile, inner frame
9	9264210	CD 4	1	Plateau	37	9264611	CD 5	1	Cover profile, inner frame
9	9264201	CD 5	1	Plateau	38	9264084	All models	1	Side-plate, left
10	4288322	All models	8	Screw M5 x 10, SS socket button head	39	9264083	All models	1	Side-plate, right
11	9264062	All models	1	Profile, sideglass right	40	9264091	CD 3	1	Work plateau, service side
12	9264063	All models	1	Profile, sideglass left	40	9264086	CD 4	1	Work plateau, service side
13	9262005	All models	1	Console left, ass.	40	9264076	CD 5	1	Work plateau, service side
14	9262004	All models	1	Console right, ass.	41	9260240	CD 3	2	Back panel
16	8031843	CD 3	2	Gas spring 500 N	41	9260242	CD 4	2	Back panel
16	9261021	CD 4	2	Gas spring 700 N	41	9260244	CD 5	2	Back panel
16	8031819	CD 5	2	Gas spring 850 N	42	9110917	All models	1	Indication plate
17	9264532	CD 3	1	Insulation protection	43	9263030	CD 3	3	Glass holder
17	9264522	CD 4	1	Insulation protection	43	9263030	CD 4	4	Glass holder
17	9264506	CD 5	1	Insulation protection	43	9263030	CD 5	4	Glass holder
18	9264533	CD 3	1	Exhaust profil	44	9262452	CD 3	1	Lower window
18	9264523	CD 4	1	Exhaust profil	44	9262453	CD 4	1	Lower window
18	9264507	CD 5	1	Exhaust profil	44	9262454	CD 5	1	Lower window
					46	9265120	CD 3	1	Air outlet
					46	9265122	CD 4	1	Air outlet
					46	9265124	CD 5	1	Air outlet


COLD DELI 3-4-5 ESSENTIAL (FULL SERVICE) COMPONENTS DRAWING



Item	Part nr.	Model	Qty	Description
60	9264570	CD 3	1	Reflector
60	9264560	CD 4	1	Reflector
60	9264550	CD 5	1	Reflector
61	9262095	CD 3	1	Glass, illumination
61	9262096	CD 4	1	Glass, illumination
61	9262097	CD 5	1	Glass, illumination
62	9264571	CD 3	1	Fixation light fitting
62	9264561	CD 4	1	Fixation light fitting
62	6294551	CD 5	1	Fixation light fitting
63	9264572	CD 3	1	Glass locking
63	9264562	CD 4	1	Glass locking
63	9264553	CD 5	1	Glass locking
64	9221006	CD 3	2	Lamp, PLL 36 W
64	9160019	CD 4	2	Lamp, PLL 55 W
64	9160019	CD 5	2	Lamp, PLL 55 W
65	9222210	All models	2	Lamp support
66	9264552	All models	1	Lamp holder
67	9264554	All models	1	Lamp support, PL
68	9082897	All models	2	Lamp holder
69	9261010	All models	1	Thermostat
70	9181008	All models	2	Switch, tumble
71	9261005	All models	1	Sticker, cooling
72	9181071	All models	1	Sticker, lighting
73	9261015	CD 3	1	Cooling unit
73	9261017	CD 4	1	Cooling unit
73	2541212	CD 5	1	Cooling unit
74	9264309	All models	1	Suction plate
75	9284544	All models	1	Fastening bracket
76	9264308	All models	1	Frame, cooling unit
77	9264602	All models	1	Fastening frame
78	9264605	All models	1	Fastening frame, left
79	9264753	All models	1	Cover plate
80	8071071	All models	2	Blower motor
81	8071028	All models	2	Fanblade
82	8071070	All models	2	Fan cover
83	9264600	All models	1	Mounting plate, electrical components
84	2005501	All models	1	Ground rail
85	9151010	All models	1	Connecting block
86	9191181	All models	1	Magnetic switch
87	9221014	CD 3	1	Ballast, 2x 36W
87	9181009	CD 4	1	Ballast, 2x 55 W
87	9181009	CD 5	1	Ballast, 2x 55 W

Item	Part nr.	Model	Qty	Description
88	9264537	CD 3	1	Fan plate
88	9264527	CD 4	1	Fan plate
88	9264511	CD 5	1	Fan plate
89	9262201	CD 3	1	Evaporator
89	9262202	CD 4	1	Evaporator
89	9262203	CD 5	1	Evaporator
90	9264535	CD 3	1	Evaporator plate
90	9264525	CD 4	1	Evaporator plate
90	9264509	CD 5	1	Evaporator plate
91	9221011	All models	2	Temperature sensor
92	8072070	All models	1	Connecting block
93	9265119	CD 3	1	Crumble profile
93	9265121	CD 4	1	Crumble profile
93	9265123	CD 5	1	Crumble profile

COLD DELI 3-4-5 PREMIUM (FULL SERVICE) ASSEMBLY DRAWING




Item	Part nr.	Model	Qty	Description	Item	Part nr.	Model	Qty	Description
1	92602305	CD 3	1	Glass, bended, complete with profiles	18	9262025	CD 4	2	Glass, sliding door
1	92602315	CD 4	1	Glass, bended, complete with profiles	18	9262024	CD 5	2	Glass, sliding door
1	92602325	CD 5	1	Glass, bended, complete with profiles	19	8065038	All models	2	Door handle
1-1	9262037	CD 3	1	Glass, bended, without profiles	20	9184253	All models	2	Bumper profile
1-1	9262036	CD 4	1	Glass, bended, without profiles	21	9086207	All models	2	Bumper
1-1	9262035	CD 5	1	Glass, bended, without profiles	22	0147674	All models	4	Screw M 4x25, SS cross recess head (philips)
1-2	9263011	CD 3	1	Glass handle	23	9262033	CD 3	1	Profile, sliding door, bottom
1-2	9263006	CD 4	1	Glass handle	23	9262031	CD 4	1	Profile, sliding door, bottom
1-2	9263002	CD 5	1	Glass handle	23	9262029	CD 5	1	Profile, sliding door, bottom
1-3	9261024	CD 3	1.1 mtr	Protection profile (plastic)	24	9264070	CD 3	1	Holder, sliding door profile
1-3	9261024	CD 4	1.5 mtr	Protection profile (plastic)	24	9264065	CD 4	1	Holder, sliding door profile
1-3	9261024	CD 5	1.8 mtr	Protection profile (plastic)	24	9264056	CD 5	1	Holder, sliding door profile
1-4	9264595	All models	2	Magnet holder	25	9264371	All models	1	Bracket, suction grid
1-5	9264596	All models	2	Cover plate	26	9264532	CD 3	1	Insulation protection
1-6	9191182	All models	2	Magnet block	26	9264522	CD 4	1	Insulation protection
1-7	4288324	All models	2	Screw M 4x8, SS socket button head	26	9264506	CD 5	1	Insulation protection
2	9263010	CD 3	1	Mounting profile, glass	27	9265120	CD 3	1	Air outlet
2	9263005	CD 4	1	Mounting profile, glass	27	9265122	CD 4	1	Air outlet
2	9263001	CD 5	1	Mounting profile, glass	27	9265124	CD 5	1	Air outlet
3	9261027	All models		Socket set screw M6x8, Torx, stainless steel	28	9264533	CD 3	1	Exhaust profil
4	9262034	All models	2	Cover plate	28	9264523	CD 4	1	Exhaust profil
5	4288324	All models	2	Screw M 4x8, SS socket button head	28	9264507	CD 5	1	Exhaust profil
6	9262022	All models	1	Sideglass right	29	9260500	CD 3	1	Inner housing
7	9262023	All models	1	Sideglass left	29	9260505	CD 4	1	Inner housing
8	9265016	CD 3	1	Light fixture	29	9260510	CD 5	1	Inner housing
8	9264563	CD 4	1	Light fixture	30	9263040	CD 3	1	Protection profile (plastic)
8	9264555	CD 5	1	Light fixture	30	9263041	CD 4	1	Protection profile (plastic)
9	9264220	CD 3	1	Plateau	30	9263042	CD 5	1	Protection profile (plastic)
9	9264210	CD 4	1	Plateau	31	8071036	All models	2	Plug, end
9	9264201	CD 5	1	Plateau	32	9263045	CD 3	1	Mounting profile
10	4288322	All models	8	Screw M5 x 10, SS socket button head	32	9263046	CD 4	1	Mounting profile
11	9264062	All models	1	Profile, sideglass right	32	9263047	CD 5	1	Mounting profile
12	9264063	All models	1	Profile, sideglass left	33	9262452	CD 3	1	Lower window
13	9262005	All models	1	Console left, ass.	33	9262453	CD 4	1	Lower window
14	9262004	All models	1	Console right, ass.	33	9262454	CD 5	1	Lower window
15	9241000	All models	1	Bumper, console (20 pieces)	34	9263030	CD 3	3	Glass Holder
16	8031843	CD 3	2	Gas spring 500 N	34	9263030	CD 4	4	Glass Holder
16	9261021	CD 4	2	Gas spring 700 N	34	9263030	CD 5	4	Glass Holder
16	8031819	CD 5	2	Gas spring 850 N	35	9263013	CD 3	1	Front, aluminium
17	9262032	CD 3	1	Profile, sliding door, top	35	9263008	CD 4	1	Front, aluminium
17	9262030	CD 4	1	Profile, sliding door, top	35	9263004	CD 5	1	Front, aluminium
17	9262028	CD 5	1	Profile, sliding door, top	36	9264112	All models	1	Side-plate, left front
18	9262026	CD 3	2	Glass, sliding door	37	9264111	All models	1	Side-plate, right front
					38	9265017	All models	1	Side panel, left
					39	9265018	All models	1	Side panel, right
					40	9191182	All models	2	Magnet block
					41	9264594	All models	2	Magnet holder, inner

Item	Part nr.	Model	Qty	Description
42	9264208	All models	1	Operation panel
43	9264000	All models	2	Side panel, frame
44	9181030	All models	4	Adjustable leg
45	9091383	All models	1	Connecting cable with plug
46	9222076	All models	1	Strain relief M20
47	9222077	All models	1	Nut, relief strain M20
48	9264621	CD 3	1	Cover profile, inner frame
48	9264616	CD 4	1	Cover profile, inner frame
48	9264611	CD 5	1	Cover profile, inner frame
49	9264084	All models	1	Side-plate, left
50	9264083	All models	1	Side-plate, right
51	9260240	CD 3	2	Back panel
51	9260242	CD 4	2	Back panel
51	9260244	CD 5	2	Back panel
52	9110917	All models	1	Indication plate
53	9264091	CD 3	1	Work plateau, service side
53	9264086	CD 4	1	Work plateau, service side
53	9264076	CD 5	1	Work plateau, service side

EMPTY PAGE


COLD DELI 3-4-5 PREMIUM (FULL SERVICE) COMPONENTS DRAWING



Item	Part nr.	Model	Qty	Description
70	9264570	CD 3	1	Reflector
70	9264560	CD 4	1	Reflector
70	9264550	CD 5	1	Reflector
71	9262095	CD 3	1	Glass, illumination
71	9262096	CD 4	1	Glass, illumination
71	9262097	CD 5	1	Glass, illumination
72	9264572	CD 3	1	Fixation light fitting
72	9264561	CD 4	1	Fixation light fitting
72	6294551	CD 5	1	Fixation light fitting
73	9264573	CD 3	1	Glass locking
73	9264564	CD 4	1	Glass locking
73	9264553	CD 5	1	Glass locking
74	9221006	CD 3	2	Lamp, PLL 36 W
74	9160019	CD 4	2	Lamp, PLL 55 W
74	9160019	CD 5	2	Lamp, PLL 55 W
75	9222210	All models	2	Lamp support
76	9264552	All models	1	Lamp holder
77	9264554	All models	1	Lamp support, PL
78	9082897	All models	2	Lamp holder
79	9261010	All models	1	Thermostat
80	9181008	All models	2	Switch, tumble
81	9261005	All models	1	Sticker, cooling
82	9181071	All models	1	Sticker, lighting
83	9261015	CD 3	1	Cooling unit
83	9261017	CD 4	1	Cooling unit
83	2541212	CD 5	1	Cooling unit
84	9264309	All models	1	Suction plate
85	9284544	All models	1	Fastening bracket
86	9264308	All models	1	Frame, cooling unit
87	9264602	All models	1	Fastening frame
88	9264605	All models	1	Fastening frame, left
89	9264753	All models	1	Cover plate
90	9260150	All models	1	Evaporator tray ass.
90-1	8030961	All models	2	Heating element 270 W, 110-265 V
90-2	9265026	All models	1	Tray evaporator
90-3	9265027	All models	1	Frame for tray
92	8071071	All models	2	Blower motor
93	8071028	All models	2	Fanblade
94	8071070	All models	2	Fan cover
95	9264600	All models	1	Mounting plate, elec- trical components
96	2005501	All models	1	Ground rail

Item	Part nr.	Model	Qty	Description
97	9151010	All models	1	Connecting block
98	9191181	All models	1	Magnetic switch
99	9221014	CD 3	1	Ballast, 2x 36W
99	9181009	CD 4	1	Ballast, 2x 55 W
99	9181009	CD 5	1	Ballast, 2x 55 W
100	9264537	CD 3	1	Fan plate
100	9264527	CD 4	1	Fan plate
100	9264511	CD 5	1	Fan plate
101	9262201	CD 3	1	Evaporator
101	9262202	CD 4	1	Evaporator
101	9262203	CD 5	1	Evaporator
102	9264535	CD 3	1	Evaporator plate
102	9264525	CD 4	1	Evaporator plate
102	9264509	CD 5	1	Evaporator plate
103	9221011	All models	2	Temperature sensor
104	8072070	All models	1	Connecting block
105	9265119	CD 3	1	Crumble profile
105	9265121	CD 4	1	Crumble profile
105	9265123	CD 5	1	Crumble profile

COLD DELI 3-4-5 SELF SERVICE SQUARE ASSEMBLY DRAWING




Item	Part nr.	Model	Qty	Description	Item	Part nr.	Model	Qty	Description
1	926....S	CD 3	1	Glass, front, complete with profiles	19	9262026	CD 3	2	Glass, sliding door
1	926....S	CD 4	1	Glass, front, complete with profiles	19	9262025	CD 4	2	Glass, sliding door
1	926....S	CD 5	1	Glass, front, complete with profiles	19	9262024	CD 5	2	Glass, sliding door
1-1	9262430	CD 3	1	Glass, front, without profiles	20	9262033	CD 3	1	Profile, sliding door, bottom
1-1	9262434	CD 4	1	Glass, front, without profiles	20	9262031	CD 4	1	Profile, sliding door, bottom
1-1	9262432	CD 5	1	Glass, front, without profiles	20	9262029	CD 5	1	Profile, sliding door, bottom
1-2	9263011	CD 3	1	Glass handle	21	9264070	CD 3	1	Holder, sliding door profile
1-2	9263006	CD 4	1	Glass handle	21	9264065	CD 4	1	Holder, sliding door profile
1-2	9263002	CD 5	1	Glass handle	21	9264056	CD 5	1	Holder, sliding door profile
1-3	9264595	All models	2	Magnet holder	22	9265120	CD 3	1	Air outlet
1-4	9264596	All models	2	Cover plate	22	9265122	CD 4	1	Air outlet
1-5	4288324	All models	2	Screw M 4x8, SS socket button head	22	9265124	CD 5	1	Air outlet
1-6	9263049	CD 3	1	Protection profile (plastic)	23	9264532	CD 3	1	Cover plate, Insulation backside
1-6	9263055	CD 4	1	Protection profile (plastic)	23	9264522	CD 4	1	Cover plate, Insulation backside
1-6	9263056	CD 5	1	Protection profile (plastic)	23	9264506	CD 5	1	Cover plate, Insulation backside
2	9262150	CD 3	1	Glass, top side	24	9264533	CD 3	1	Exhaust profil
2	9262153	CD 4	1	Glass, top side	24	9264523	CD 4	1	Exhaust profil
2	9262157	CD 5	1	Glass, top side	24	9264507	CD 5	1	Exhaust profil
3	9262159	CD 3	1	Gas spring 100 N	25	9260500	CD 3	1	Inner housing
3	9262159	CD 4	1	Gas spring 100 N	25	9260505	CD 4	1	Inner housing
3	9262161	CD 5	1	Gas spring 300 N	25	9260510	CD 5	1	Inner housing
4	9262160	CD 3	1	Gas spring 200 N	26	9264220	CD 3	1	Plateau
4	9262160	CD 4	1	Gas spring 200 N	26	9264210	CD 4	1	Plateau
4	9262161	CD 5	1	Gas spring 300 N	26	9264201	CD 5	1	Plateau
5	9262304	All models	1	Console right, ass.	27	9264371	All models	1	Bracket, suction grid
5-6	9268365	All models	set	Various fastening materials for consoles	28	8065038	All models	2	Door handle
6	9262305	All models	1	Console left, ass.	29	9184253	All models	2	Bumper profile
6-6	9268365	All models	set	Various fastening materials for consoles	30	9086207	All models	2	Bumper
7	9265105	All models	1	Holder, sideglass right	31	0147674	All models	4	Screw M 4x25, SS cross recess head (philips)
8	9265104	All models	1	Holder, sideglass left	32	9263040	CD 3	1	Protection profile (plastic)
9	9265111	All models	2	Holder, sideglass front	32	9263041	CD 4	1	Protection profile (plastic)
10	9262152S	All models	2	Side glass	32	9263042	CD 5	1	Protection profile (plastic)
11	9261056	All models	4	Protection cap	33	8071036	All models	2	Plug, end
12	9265016	CD 3	1	Light fixture	34	9263045	CD 3	1	Mounting profile
12	9264563	CD 4	1	Light fixture	34	9263046	CD 4	1	Mounting profile
12	9264555	CD 5	1	Light fixture	34	9263047	CD 5	1	Mounting profile
13	9263022	All models	1	Plug, top glass	35	9265108	CD 3	1	Front panel
14	4288322	All models	8	Screw M5 x 10, SS socket button head	35	9265109	CD 4	1	Front panel
17	9241000	All models	1	Bumper, console (20 pieces)	35	9265110	CD 5	1	Front panel
18	9262032	CD 3	1	Profile, sliding door, top	36	9265103	All models	1	Side panel, right
18	9262030	CD 4	1	Profile, sliding door, top	37	9265102	All models	1	Side panel, left
18	9262028	CD 5	1	Profile, sliding door, top	38	9264208	All models	1	Operation panel
					39	9264000	All models	2	Side panel, frame
					41	9181030	All models	4	Adjustable leg

Item	Part nr.	Model	Qty	Description
42	9091383	All models	1	Connecting cable with plug
43	9222076	All models	1	Strain relief M20
44	9222077	All models	1	Nut, relief strain M20
45	9264621	CD 3	1	Cover profile, inner frame
45	9264616	CD 4	1	Cover profile, inner frame
45	9264611	CD 5	1	Cover profile, inner frame
46	9264084	CD 3	1	Side plate, left
47	9264083	CD 4	1	Side plate, right
48	9110917	All models	1	Indication plate
49	9264091	CD 3	1	Work plateau, service side
49	9264086	CD 4	1	Work plateau, service side
49	9264076	CD 5	1	Work plateau, service side
50	9260240	CD 3	2	Back panel
50	9260242	CD 4	2	Back panel
50	9260244	CD 5	2	Back panel

EMPTY PAGE


COLD DELI 3-4-5 SELF SERVICE SQUARE COMPONENTS DRAWING



Item	Part nr.	Model	Qty	Description
60	9264570	CD 3	1	Reflector
60	9264560	CD 4	1	Reflector
60	9264550	CD 5	1	Reflector
61	9262095	CD 3	1	Glass, illumination
61	9262096	CD 4	1	Glass, illumination
61	9262097	CD 5	1	Glass, illumination
62	9264571	CD 3	1	Fixation light fitting
62	9264561	CD 4	1	Fixation light fitting
62	9264551	CD 5	1	Fixation light fitting
63	9264573	CD 3	1	Glass locking
63	9264564	CD 4	1	Glass locking
63	9264556	CD 5	1	Glass locking
64	9221006	CD 3	2	Lamp, PLL 36 W
64	9160019	CD 4	2	Lamp, PLL 55 W
64	9160019	CD 5	2	Lamp, PLL 55 W
65	9222210	All models	2	Lamp support
66	9264552	All models	1	Lamp holder
67	9264554	All models	1	Lamp support, PL
68	9082897	All models	2	Lamp holder
69	9261010	All models	1	Thermostat
70	9181008	All models	2	Switch, tumble
71	9261005	All models	1	Sticker, cooling
72	9181071	All models	1	Sticker, lighting
73	9261015	CD 3	1	Cooling unit
73	9261017	CD 4	1	Cooling unit
73	2541212	CD 5	1	Cooling unit
74	9264309	All models	1	Suction plate
75	9264371	All models	1	Fastening bracket
76	9264308	All models	1	Frame, condensing unit
77	9264602	All models	1	Fastening frame
78	9264605	All models	1	Fastening frame, left
79	9264753	All models	1	Cover plate
80	9264600	All models	1	Mounting plate, electrical components
81	2005501	All models	1	ground rail
82	9151010	All models	1	Connecting block
83	9191181	All models	1	Magnetic switch
84	9221014	CD 3	1	Ballast, 2x 36W
84	9181009	CD 4	1	Ballast, 2x 55 W
84	9181009	CD 5	1	Ballast, 2x 55 W
85	8071071	All models	2	Blower motor
86	8071028	All models	2	Fanblade
87	8071070	All models	2	Fan cover


Item	Part nr.	Model	Qty	Description
88	9264537	CD 3	1	Fan plate
88	9264527	CD 4	1	Fan plate
88	9264511	CD 5	1	Fan plate
89	9262201	CD 3	1	Evaporator
89	9262202	CD 4	1	Evaporator
89	9262203	CD 5	1	Evaporator
90	9264535	CD 3	1	Evaporator plate
90	9264525	CD 4	1	Evaporator plate
90	9264509	CD 5	1	Evaporator plate
91	9221011	All models	2	Temperature sensor
92	8072070	All models	1	Connecting block
93	9265119	CD 3	1	Crumble profile
93	9265121	CD 4	1	Crumble profile
93	9265123	CD 5	1	Crumble profile

COLD DELI 3-4-5 ESSENTIAL SQUARE COMPONENTS DRAWING



Item	Part nr.	Model	Qty	Description	Item	Part nr.	Model	Qty	Description
1	9262151S	CD 3	1	Glass, front, complete with profiles	17	9264532	CD 3	1	Cover plate, Insulation backside
1	9262154S	CD 4	1	Glass, front, complete with profiles	17	9264522	CD 4	1	Cover plate, Insulation backside
1	9262156S	CD 5	1	Glass, front, complete with profiles	17	9264506	CD 5	1	Cover plate, Insulation backside
1-1	9262151	CD 3	1	Glass, front, without profiles	18	9264533	CD 3	1	Exhaust profil
1-1	9262154	CD 4	1	Glass, front, without profiles	18	9264523	CD 4	1	Exhaust profil
1-1	9262156	CD 5	1	Glass, front, without profiles	18	9264507	CD 5	1	Exhaust profil
1-2	9263011	CD 3	1	Glass handle	19	9260500	CD 3	1	Inner housing
1-2	9263006	CD 4	1	Glass handle	19	9260505	CD 4	1	Inner housing
1-2	9263002	CD 5	1	Glass handle	19	9260510	CD 5	1	Inner housing
1-3	9264595	All models	2	Magnet holder	20	9264371	All models	1	Bracket, suction grid
1-4	9264596	All models	2	Cover plate	21	9263040	CD 3	1	Bumper (plastic)
1-5	4288324	All models	2	Screw M 4x8, SS socket button head	21	9263041	CD 4	1	Bumper (plastic)
1-6	9263049	CD 3	1	Protection profile (plastic)	21	9263042	CD 5	1	Bumper (plastic)
1-6	9263055	CD 4	1	Protection profile (plastic)	22	8071036	All models	2	Plug, end
1-6	9263056	CD 5	1	Protection profile (plastic)	23	9263045	CD 3	1	Mounting profile
2	9262150	CD 3	1	Glass, top side	23	9263046	CD 4	1	Mounting profile
2	9262153	CD 4	1	Glass, top side	23	9263047	CD 5	1	Mounting profile
2	9262157	CD 5	1	Glass, top side	24	9262452	CD 3	1	Front window, perspex
3	9262161	CD 3	1	Gas spring 300 N	24	9262453	CD 4	1	Front window, perspex
3	9262161	CD 4	1	Gas spring 300 N	24	9262454	CD 5	1	Front window, perspex
3	9262162	CD 5	1	Gas spring 400 N	25	9262076	CD 3	3	Glass Holder
4	9262161	CD 3	1	Gas spring 300 N	25	9262076	CD 4	4	Glass Holder
4	9262162	CD 4	1	Gas spring 400 N	25	9262076	CD 5	4	Glass Holder
4	9262162	CD 5	1	Gas spring 400 N	26	9265108	CD 3	1	Front panel
5	9262304	All models	1	Console right, ass.	26	9265109	CD 4	1	Front panel
5-6	9268365	All models	set	Various fastening materials for consoles	26	9265110	CD 5	1	Front panel
6	9262305	All models	1	Console left, ass.	27	9265103	All models	1	Side panel, right
6-6	9268365	All models	set	Various fastening materials for consoles	28	9265102	All models	1	Side panel, left
7	9265105	All models	1	Holder, sideglass right	29	9264208	All models	1	Operation panel
8	9265104	All models	1	Holder, sideglass left	30	9264000	All models	2	Side panel, frame
9	9265111	All models	2	Holder, sideglass front	31	9091383	All models	1	Connecting cable with plug
10	9262152S	All models	2	Side glass	32	9222076	All models	1	Strain relief M20
11	9261056	All models	4	Protection cap	33	9222077	All models	1	Nut, relief strain M20
12	9265016	CD 3	1	Light fixture	34	9264621	CD 3	1	Cover profile, inner frame
12	9264563	CD 4	1	Light fixture	34	9264616	CD 4	1	Cover profile, inner frame
12	9264555	CD 5	1	Light fixture	34	9264611	CD 5	1	Cover profile, inner frame
13	9263022	All models	1	Plug, top glass	35	9264084	All models	1	Side plate, left
14	4288322	All models	8	Screw M5 x 10, SS socket button head	36	9264083	All models	1	Side plate, right
15	9264220	CD 3	1	Plateau	37	9110917	All models	1	Indication plate
15	9264210	CD 4	1	Plateau	38	9264091	CD 3	1	Work plateau, service side
15	9264201	CD 5	1	Plateau	38	9264086	CD 4	1	Work plateau, service side
16	9265120	CD 3	1	Air outlet	38	9264076	CD 5	1	Work plateau, service side
16	9265122	CD 4	1	Air outlet	39	9260240	CD 3	2	Back panel
16	9265124	CD 5	1	Air outlet	39	9260242	CD 4	2	Back panel
					39	9260244	CD 5	2	Back panel
					40	9181030	All models	4	Adjustable leg


COLD DELI 3-4-5 ESSENTIAL SQUARE COMPONENTS DRAWING



Item	Part nr.	Model	Qty	Description
60	9264570	CD 3	1	Reflector
60	9264560	CD 4	1	Reflector
60	9264550	CD 5	1	Reflector
61	9262095	CD 3	1	Glass, illumination
61	9262096	CD 4	1	Glass, illumination
61	9262097	CD 5	1	Glass, illumination
62	9264571	CD 3	1	Mounting profile, glass strip
62	9264561	CD 4	1	Mounting profile, glass strip
62	9264551	CD 5	1	Mounting profile, glass strip
63	9264572	CD 3	1	Locking, glas plate
63	9264562	CD 4	1	Locking, glas plate
63	9264553	CD 5	1	Locking, glas plate
64	9221006	CD 3	2	Lamp, PLL 36 W
64	9160019	CD 4	2	Lamp, PLL 55 W
64	9160019	CD 5	2	Lamp, PLL 55 W
65	9222210	All models	2	Lamp support
66	9264552	All models	1	Bracket, lamp base
67	9264554	All models	1	Cover, lamp base
68	9082897	All models	2	Lamp holder
69	9261010	All models	1	Thermostat
70	9181008	All models	2	Switch, tumble
71	9261005	All models	1	Sticker, cooling
72	9181071	All models	1	Sticker, lighting
73	9261015	CD 3	1	Cooling compressor
73	9261017	CD 4	1	Cooling compressor
73	2541212	CD 5	1	Cooling compressor
74	9264309	All models	1	Suction plate
75	9264371	All models	1	Fastening bracket
76	9264308	All models	1	Frame, condensing unit
77	9264602	All models	1	Fastening frame
78	9264605	All models	1	Fastening frame, left
79	9264753	All models	1	Cover plate
80	9264600	All models	1	Mounting plate, electrical components
81	2005501	All models	1	Ground rail
82	9151010	All models	1	Connecting block
83	9191181	All models	1	Contacteur
84	9221014	CD 3	1	Ballast, 2x 36W
84	9181009	CD 4	1	Ballast, 2x 55 W
84	9181009	CD 5	1	Ballast, 2x 55 W
85	8071071	All models	2	Blower motor
86	8071028	All models	2	Fan blade
87	8071070	All models	2	Fan cover
88	9264537	CD 3	1	Fan plate
88	9264527	CD 4	1	Fan plate
88	9264511	CD 5	1	Fan plate

Item	Part nr.	Model	Qty	Description
89	9262201	CD 3	1	Evaporator
89	9262202	CD 4	1	Evaporator
89	9262203	CD 5	1	Evaporator
90	9264535	CD 3	1	Evaporator plate
90	9264525	CD 4	1	Evaporator plate
90	9264509	CD 5	1	Evaporator plate
91	9221011	All models	2	Temperature sensor
92	8072070	All models	1	Connecting block
93	9265119	CD 3	1	Crumble profile
93	9265121	CD 4	1	Crumble profile
93	9265123	CD 5	1	Crumble profile

COLD DELI 3-4-5 PREMIUM SQUARE COMPONENTS DRAWING




Item	Part nr.	Model	Qty	Description	Item	Part nr.	Model	Qty	Description
1	9262151S	CD 3	1	Glass, front, complete with profiles	20	9262033	CD 3	1	Profile, sliding door, bottom
1	9262154S	CD 4	1	Glass, front, complete with profiles	20	9262031	CD 4	1	Profile, sliding door, bottom
1	9262156S	CD 5	1	Glass, front, complete with profiles	20	9262029	CD 5	1	Profile, sliding door, bottom
1-1	9262151	CD 3	1	Glass, front, without profiles	21	9264070	CD 3	1	Holder, sliding door profile
1-1	9262154	CD 4	1	Glass, front, without profiles	21	9264065	CD 4	1	Holder, sliding door profile
1-1	9262156	CD 5	1	Glass, front, without profiles	21	9264056	CD 5	1	Holder, sliding door profile
1-2	9263011	CD 3	1	Glass handle	22	9265120	CD 3	1	Air outlet
1-2	9263006	CD 4	1	Glass handle	22	9265122	CD 4	1	Air outlet
1-2	9263002	CD 5	1	Glass handle	22	9265124	CD 5	1	Air outlet
1-3	9264595	All models	2	Magnet holder	23	9264532	CD 3	1	Cover plate, Insulation backside
1-4	9264596	All models	2	Cover plate	23	9264522	CD 4	1	Cover plate, Insulation backside
1-5	4288324	All models	2	Screw M 4x8, SS socket button head	23	9264506	CD 5	1	Cover plate, Insulation backside
1-6	9263049	CD 3	1	Protection profile (plastic)	24	9264533	CD 3	1	Exhaust profil
1-6	9263055	CD 4	1	Protection profile (plastic)	24	9264523	CD 4	1	Exhaust profil
1-6	9263056	CD 5	1	Protection profile (plastic)	24	9264507	CD 5	1	Exhaust profil
2	9262150	CD 3	1	Glass, top side	25	9260500	CD 3	1	Inner housing
2	9262153	CD 4	1	Glass, top side	25	9260505	CD 4	1	Inner housing
2	9262157	CD 5	1	Glass, top side	25	9260510	CD 5	1	Inner housing
3	9262161	CD 3	1	Gas spring 300 N	26	9264220	CD 3	1	Plateau
3	9262161	CD 4	1	Gas spring 300 N	26	9264210	CD 4	1	Plateau
3	9262162	CD 5	1	Gas spring 400 N	26	9264201	CD 5	1	Plateau
4	9262161	CD 3	1	Gas spring 300 N	27	9264371	All models	1	Bracket, suction grid
4	9262162	CD 4	1	Gas spring 400 N	28	8065038	All models	2	Door handle
4	9262162	CD 5	1	Gas spring 400 N	29	9184253	All models	2	Bumper profile
5	9262304	All models	1	Console right, ass.	30	9086207	All models	2	Bumper
5-6	9268365	All models	set	Various fastening materials for consoles	31	0147674	All models	4	Screw M 4x25, SS cross recess head (philips)
6	9262305	All models	1	Console left, ass.	32	9263040	CD 3	1	Bumper (plastic)
6-6	9268365	All models	set	Various fastening materials for consoles	32	9263041	CD 4	1	Bumper (plastic)
7	9265105	All models	1	Holder, sideglass right	32	9263042	CD 5	1	Bumper (plastic)
8	9265104	All models	1	Holder, sideglass left	33	8071036	All models	2	Plug, end
9	9265111	All models	2	Holder, sideglass front	34	9263045	CD 3	1	Mounting profile
10	9262152S	All models	2	Side glass	34	9263046	CD 4	1	Mounting profile
11	9261056	All models	4	Protection cap	34	9263047	CD 5	1	Mounting profile
12	9265016	CD 3	1	Light fixture	35	9265108	CD 3	1	Front panel
12	9264563	CD 4	1	Light fixture	35	9265109	CD 4	1	Front panel
12	9264555	CD 5	1	Light fixture	35	9265110	CD 5	1	Front panel
13	9263022	All models	1	Plug, top glass	36	9265103	All models	1	Side panel, right
14	4288322	All models	8	Screw M5 x 10, SS socket button head	37	9265102	All models	1	Side panel, left
18	9262032	CD 3	1	Profile, sliding door, top	38	9264208	All models	1	Operation panel
18	9262030	CD 4	1	Profile, sliding door, top	39	9264000	All models	2	Side panel, frame
18	9262028	CD 5	1	Profile, sliding door, top	40	9262452	CD 3	1	Front window, perspex
19	9262026	CD 3	2	Glass, sliding door	40	9262453	CD 4	1	Front window, perspex
19	9262025	CD 4	2	Glass, sliding door	40	9262454	CD 5	1	Front window, perspex
19	9262024	CD 5	2	Glass, sliding door					

Item	Part nr.	Model	Qty	Description
41	9262076	CD 3	3	Glass Holder
41	9262076	CD 4	4	Glass Holder
41	9262076	CD 5	4	Glass Holder
42	9091383	All models	1	Connecting cable with plug
43	9222076	All models	1	Strain relief M20
44	9222077	All models	1	Nut, relief strain M20
45	9264621	CD 3	1	Cover profile, inner frame
45	9264616	CD 4	1	Cover profile, inner frame
45	9264611	CD 5	1	Cover profile, inner frame
46	9264084	All models	1	Side plate, left
47	9264083	All models	1	Side plate, right
48	9110917	All models	1	Indication plate
49	9264091	CD 3	1	Work plateau, service side
49	9264086	CD 4	1	Work plateau, service side
49	9264076	CD 5	1	Work plateau, service side
50	9260240	CD 3	2	Back panel
50	9260242	CD 4	2	Back panel
50	9260244	CD 5	2	Back panel
51	9181030	All models	4	Adjustable leg

EMPTY PAGE


COLD DELI 3-4-5 PREMIUM SQUARE COMPONENTS DRAWING




Item	Part nr.	Model	Qty	Description
60	9264570	CD 3	1	Reflector
60	9264560	CD 4	1	Reflector
60	9264550	CD 5	1	Reflector
61	9262095	CD 3	1	Glass, illumination
61	9262096	CD 4	1	Glass, illumination
61	9262097	CD 5	1	Glass, illumination
62	9264571	CD 3	1	Mounting profile, glass strip
62	9264561	CD 4	1	Mounting profile, glass strip
62	9264551	CD 5	1	Mounting profile, glass strip
63	9264573	CD 3	1	Locking, glass plate
63	9264564	CD 4	1	Locking, glass plate
63	9264556	CD 5	1	Locking, glass plate
64	9221006	CD 3	2	Lamp, PLL 36 W
64	9160019	CD 4	2	Lamp, PLL 55 W
64	9160019	CD 5	2	Lamp, PLL 55 W
65	9222210	All models	2	Lamp support
66	9264552	All models	1	Bracket, lamp base
67	9264554	All models	1	Cover, lamp base
68	9082897	All models	2	Lamp holder
69	9261010	All models	1	Thermostat
70	9181008	All models	2	Switch, tumble
71	9261005	All models	1	Sticker, cooling
72	9181071	All models	1	Sticker, lighting
73	9261015	CD 3	1	Cooling compressor
73	9261017	CD 4	1	Cooling compressor
73	2541212	CD 5	1	Cooling compressor
74	9264309	All models	1	Suction plate
75	9264371	All models	1	Fastening bracket
76	9264308	All models	1	Frame, condensing unit
77	9264602	All models	1	Fastening frame
78	9264605	All models	1	Fastening frame, left
79	9264753	All models	1	Cover plate
80	9260150	All models	1	Evaporator tray ass.
80-1	8030961	All models	2	Heating element 270 W, 110-265 V
80-2	9265026	All models	1	Tray evaporator
80-3	9265027	All models	1	Frame for tray
81	9264600	All models	1	Mounting plate, electrical components
82	2005501	All models	1	Ground rail
83	9151010	All models	1	Connecting block
84	9191181	All models	1	Contact
85	9221014	CD 3	1	Ballast, 2x 36W
85	9181009	CD 4	1	Ballast, 2x 55 W
85	9181009	CD 5	1	Ballast, 2x 55 W
86	8071071	All models	2	Blower motor

Item	Part nr.	Model	Qty	Description
87	8071028	All models	2	Fan blade
88	8071070	All models	2	Fan cover
89	9264537	CD 3	1	Fan plate
89	9264527	CD 4	1	Fan plate
89	9264511	CD 5	1	Fan plate
90	9262201	CD 3	1	Evaporator
90	9262202	CD 4	1	Evaporator
90	9262203	CD 5	1	Evaporator
91	9264535	CD 3	1	Evaporator plate
91	9264525	CD 4	1	Evaporator plate
91	9264509	CD 5	1	Evaporator plate
92	9221011	All models	2	Temperature sensor
93	8072070	All models	1	Connecting block
94	9265119	CD 3	1	Crumble profile
94	9265121	CD 4	1	Crumble profile
94	9265123	CD 5	1	Crumble profile

CIRCUIT DIAGRAM CD 3




CIRCUIT DIAGRAM CD 3 REMOTE




revision:	revision date:	description revision:
A	04.02.2009	Change wires illumination
Circuit Diagram Remote for product: Deli Merchandiser 3 GN (Cold) material:		
checked: fri-jado scale: 1:2 size: A4		thickness: - treatment: - tolerance class: A
revision date: 04.02.2009 status: - date: 15.10.2007 drawn by: Koolen drawing number: 9260812		checked: fri-jado scale: 1:2 size: A4


CIRCUIT DIAGRAM CD 4



CIRCUIT DIAGRAM CD 4 REMOTE




CIRCUIT DIAGRAM CD 5



revision:	revision date:	description:	revision:	revision date:	description:
B	04.02.2009	Change wires Illumination	B	04.02.2009	Change wires Illumination
A	27.09.2007	Change wires Illumination			
CIRCUIT DIAGRAM					
for product: Deli Merchandiser 5 GN (Cold)					
material: thickness: treatment: tolerance class: A					
checked: revision: 04.02.2009					
scale: status: 10.04.2006					
size: size: 10.04.2006					
drawing number: 9260850					
frijado					
tude kerkstraat 2					
4878 AA Elten-Leur					
tel: +31 (0)76-5085400					
fax: +31 (0)76-5085444					
E-mail: Rend.FEFrijado.nl					
Postbus 560					
4870 AN Elten-Leur					

CIRCUIT DIAGRAM CD 5 REMOTE



EMPTY PAGE

EMPTY PAGE

