

### SECTION 1: Identification

#### 1.1. GHS Product identifier

Product form : Mixture  
Trade name : ProteClean Green+  
Substance type : Detergent  
Type of product : Detergent  
UN-No. (ADR) : 1823

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Commercial cleaner  
Cleaning agent  
Recommended use : Professional uses  
Commercial cleaner  
Cleaning agent

#### 1.4. Supplier's details

##### Manufacturer/Supplier

Fri-Jado B.V.  
Blauwhekken 2  
4751 XD Oud Gastel  
Netherlands  
T +31 (76) 50 85 400  
[info@frijado.com](mailto:info@frijado.com)

##### Importer

Danlesco Gulf FZC  
1903, SIT T1903, SIT Tower Dubai Silicon Oasis  
P.O. Box PO Box 50468  
Dubai, U.A.E

##### Email competent person

sds@kft.de

#### 1.5. Emergency phone number

Emergency number : 0049 621 845799732

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

##### Classification according to the United Nations GHS

Corrosive to metals, Category 1	H290	Calculation method
Skin corrosion/irritation, Category 1A	H314	Calculation method
Serious eye damage/eye irritation, Category 1	H318	Calculation method
Respiratory sensitisation, Category 1	H334	Calculation method
Hazardous to the aquatic environment – Acute Hazard, Category 3	H402	Calculation method

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects : May be corrosive to metals, Causes severe skin burns and eye damage, May cause allergy or asthma symptoms or breathing difficulties if inhaled, Harmful to aquatic life

#### 2.2. GHS Label elements, including precautionary statements

##### Labelling according to the United Nations GHS

Hazard pictograms (GHS UN) :



Signal word (GHS UN) : Danger

# ProteClean Green+

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Hazardous ingredients	: Sodium hydroxide, Disodium carbonate, compound with hydrogen peroxide (2:3), subtilisin
Hazard statements (GHS UN)	: H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled H402 - Harmful to aquatic life
Precautionary statements (GHS UN)	: P234 - Keep only in original packaging. P260 - Do not breathe dusts or mists. P264 - Wash hands thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear eye protection, protective gloves, protective clothing. P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water or shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor. P363 - Wash contaminated clothing before reuse. P390 - Absorb spillage to prevent material damage. P405 - Store locked up. P406 - Store in a corrosive resistant container with a resistant inner liner. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Sodium hydroxide	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6	≥ 50 – < 70	Corrosive to metals, Category 1, H290 Skin corrosion/irritation, Category 1A, H314 Serious eye damage/eye irritation, Category 1, H318 Hazardous to the aquatic environment – Acute Hazard, Category 3, H402
sodium carbonate	CAS-No.: 497-19-8 EC-No.: 207-838-8 EC Index-No.: 011-005-00-2	≥ 10 – < 20	Acute toxicity (oral), Category 5, H303 Serious eye damage/eye irritation, Category 2A, H319
Disodium carbonate, compound with hydrogen peroxide (2:3)	CAS-No.: 15630-89-4 EC-No.: 239-707-6	≥ 5 – < 10	Oxidising Solids, Category 3, H272 Acute toxicity (oral), Category 4, H302 Serious eye damage/eye irritation, Category 1, H318 Hazardous to the aquatic environment – Acute Hazard, Category 2, H401

# ProteClean Green+

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Tetrasodium (1-hydroxyethylidene)bisphosphonate	CAS-No.: 3794-83-0 EC-No.: 223-267-7	$\geq 2.5 - < 5$	Acute toxicity (oral), Category 4, H302 Serious eye damage/eye irritation, Category 2A, H319
1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane	CAS-No.: 9038-95-3	$\geq 1 - < 2.5$	Acute toxicity (oral), Category 4, H302
subtilisin	CAS-No.: 9014-01-1 EC-No.: 232-752-2 EC Index-No.: 647-012-00-8	$\geq 0.1 - < 0.25$	Acute toxicity (oral), Category 4, H302 Skin corrosion/irritation, Category 2, H315 Serious eye damage/eye irritation, Category 1, H318 Respiratory sensitisation, Category 1, H334 Specific target organ toxicity – Single exposure, Category 3, H335 Respiratory tract irritation, H335 Hazardous to the aquatic environment – Acute Hazard, Category 1, H400 Hazardous to the aquatic environment – Chronic Hazard, Category 2, H411

Full text of H-statements: see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of necessary first-aid measures

First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Symptoms/effects after skin contact	: Burns. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

#### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam.
Unsuitable extinguishing media	: Strong water jet.

#### 5.2. Specific hazards arising from the chemical

Fire hazard	: Non flammable.
Explosion hazard	: Product is not explosive.

# ProteClean Green+

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon monoxide. Carbon dioxide. Nitrogen oxides. Sulphur oxides. Phosphorus oxides. Metal oxides. Silicon oxide.

### 5.3. Special protective actions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Other information : Do not allow run-off from fire fighting to enter drains or water courses. Disposal must be done according to official regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Absorb spillage to prevent material damage.

Personal Precautions, Protective Equipment and Emergency Procedures : Wear personal protective equipment.

Prevention Measures for Secondary Accidents : No specific measures are necessary.

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid sub-soil penetration. Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and materials for containment and cleaning up

For containment : Collect spillage. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.

Methods for cleaning up : Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Avoid dust formation.

Other information : Disposal must be done according to official regulations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes. Do not breathe dust. Keep container tightly closed.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep only in original container. Keep container tightly closed. Keep cool. Protect from moisture. Store locked up.

Storage area : Base-resistant floor.

Incompatible materials : Metals.

Information about storage in one common storage facility : Keep away from food, drink and animal feeding stuffs.

Special rules on packaging : Store in original container or corrosive resistant and/or lined container.

# ProteClean Green+

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Monitoring methods

Monitoring methods	No additional information available.
--------------------	--------------------------------------

#### 8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Environmental exposure controls	: Avoid release to the environment.
Other information	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Avoid contact with skin and eyes.

#### 8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection	: Chemically resistant protective gloves. For undissolved solid substances following materials may be suitable: Butyl rubber, Chloroprene rubber, Fluoroelastomer (FKM), Nitrile rubber. EN 374. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear
Eye protection	: Wear closed safety glasses. EN 166. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure
Skin and body protection	: Wear suitable protective clothing. EN ISO 13688
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Short term exposure. Dust production: dust mask with filter type P2. EN 143

#### 8.4. Exposure limit values for the other components

No additional information available

### SECTION 9: Physical and chemical properties

#### 9.1. Basic physical and chemical properties

Physical state	: Solid
Appearance	: cartridge. Powder
Colour	: white. Green.
Odour	: Not available
Odour threshold	: Not available
Relative evaporation rate (butylacetate=1)	: Not applicable
Melting point	: Not available
Freezing point	: Not applicable
Boiling point	: Not available
Flammability (solid, gas)	: Not available
Explosive limits	: Not applicable
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: > 80 °C
pH	: Not available
pH solution	: 10.5 – 13 (Aqueous solution 1 %)
Viscosity, kinematic (calculated value) (40 °C)	: Not applicable
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not applicable
Vapour pressure at 50 °C	: Not available
Density	: 1080 – 1143 kg/m <sup>3</sup>
Relative density	: Not available

# ProteClean Green+

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Relative vapour density at 20 °C	: Not applicable
Solubility	: Water: Material highly soluble in water
Viscosity, dynamic	: Not applicable
Explosive properties	: Product is not explosive
Oxidising properties	: Non oxidizing
Particle size	: Not available
Particle size distribution	: Not available
Particle shape	: Not available
Particle aspect ratio	: Not available
Particle specific surface area	: Not available

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

VOC content : 0 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat. Protect from moisture.

### 10.5. Incompatible materials

metals.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

ProteClean Green+	
ATE UN (oral)	> 5000 mg/kg bodyweight
sodium carbonate (497-19-8)	
LD50 oral rat	2800 mg/kg
LD50 dermal rabbit	> 2000 mg/kg bodyweight (EPA 16 CFR 1500.40)
LC50 Inhalation - Rat (Dust/Mist)	> 2.3 mg/l (2h; Dust/Mist; male)
Disodium carbonate, compound with hydrogen peroxide (2:3) (15630-89-4)	
LD50 oral rat	1034 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bodyweight

# ProteClean Green+

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

<b>Tetrasodium (1-hydroxyethylidene)bisphosphonate (3794-83-0)</b>	
LD50 oral rat	940 mg/kg bodyweight (OECD 401 method)
LD50 dermal rabbit	> 5000 mg/kg bodyweight (OECD 402 method)
<b>1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane (9038-95-3)</b>	
LD50 oral rat	300 – 2000 mg/kg bodyweight
<b>subtilisin (9014-01-1)</b>	
LD50 oral rat	1800 mg/kg bodyweight (OECD 201 method)
Skin corrosion/irritation	: Causes severe skin burns.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
<b>subtilisin (9014-01-1)</b>	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Not relevant)
<b>ProteClean Green+</b>	
Viscosity, kinematic	Not applicable

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Harmful to aquatic life.
Hazardous to the aquatic environment, short-term (acute)	: Harmful to aquatic life.
Classification procedure (Hazardous to the aquatic environment, short-term (acute))	: Calculation method
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

<b>Sodium hydroxide (1310-73-2)</b>	
LC50 - Fish [1]	35 – 189 mg/l
EC50 - Crustacea [1]	40.4 mg/l (48 h; Ceriodaphnia sp.)
<b>Disodium carbonate, compound with hydrogen peroxide (2:3) (15630-89-4)</b>	
LC50 - Fish [1]	70.7 mg/l (48h; Pimephales promelas)
EC50 - Crustacea [1]	4.9 mg/l (48h; Daphnia pulex)

# ProteClean Green+

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

<b>subtilisin (9014-01-1)</b>	
LC50 - Fish [1]	8.2 mg/l (96 h; Oncorhynchus mykiss; (OECD 203 method))
EC50 - Crustacea [1]	0.868 mg/l (48 h; Daphnia magna; (OECD 202 method))
ErC50 algae	0.29 mg/l (72 h; Pseudokirchneriella subcapitata; (OECD 201 method))
NOEC chronic fish	0.042 mg/l (32 d; Pimephales promelas; (OECD 210 method))
NOEC chronic crustacea	0.019 mg/l (14 d; Daphnia magna; (OECD 211 method))
NOEC chronic algae	0.041 mg/l (72 h; Pseudokirchneriella subcapitata; (OECD 201 method))

### 12.2. Persistence and degradability

<b>ProteClean Green+</b>	
Persistence and degradability	Contained surfactants are biodegradable.
<b>Sodium hydroxide (1310-73-2)</b>	
Persistence and degradability	Not applicable for inorganic substances.
<b>sodium carbonate (497-19-8)</b>	
Persistence and degradability	Not applicable for inorganic substances.
<b>Disodium carbonate, compound with hydrogen peroxide (2:3) (15630-89-4)</b>	
Persistence and degradability	Not applicable for inorganic substances.
<b>Tetrasodium (1-hydroxyethylidene)bisphosphonate (3794-83-0)</b>	
Persistence and degradability	Not readily biodegradable.
<b>1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane (9038-95-3)</b>	
Persistence and degradability	Readily biodegradable.
Biochemical oxygen demand (BOD)	> 60 % (28 d; (OECD 301F method))
<b>subtilisin (9014-01-1)</b>	
Persistence and degradability	Readily biodegradable.
Biodegradation	≈ 100 % (29 d; (OECD 301B method))

### 12.3. Bioaccumulative potential

<b>ProteClean Green+</b>	
Bioaccumulative potential	The product has not been tested.
<b>Sodium hydroxide (1310-73-2)</b>	
Bioaccumulative potential	Not applicable for inorganic substances.
<b>sodium carbonate (497-19-8)</b>	
Bioaccumulative potential	Not applicable for inorganic substances.
<b>Disodium carbonate, compound with hydrogen peroxide (2:3) (15630-89-4)</b>	
Bioaccumulative potential	Not applicable for inorganic substances.
<b>Tetrasodium (1-hydroxyethylidene)bisphosphonate (3794-83-0)</b>	
Partition coefficient n-octanol/water (Log Kow)	-3 (23 °C; (OECD 107 method))
Bioaccumulative potential	Bioaccumulation unlikely.
<b>1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane (9038-95-3)</b>	
Bioaccumulative potential	Bioaccumulation unlikely.



# ProteClean Green+

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

<b>subtilisin (9014-01-1)</b>	
Partition coefficient n-octanol/water (Log Kow)	-3.1 (25 °C; (OECD 107 method))
Bioaccumulative potential	Bioaccumulation unlikely.

### 12.4. Mobility in soil

<b>ProteClean Green+</b>	
Mobility in soil	No additional information available
Ecology - soil	The product has not been tested.
<b>Sodium hydroxide (1310-73-2)</b>	
Ecology - soil	Expected to be highly mobile in soil.
<b>subtilisin (9014-01-1)</b>	
Ecology - soil	Expected to be highly mobile in soil.

### 12.5. Other adverse effects

Ozone	: Not classified (Based on available data, the classification criteria are not met)
Other adverse effects	: No additional information available




## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods	: Disposal must be done according to official regulations. Do not discharge into drains or the environment. Do not dispose of with domestic waste.
Product/Packaging disposal recommendations	: Recycle or dispose of in compliance with current legislation.

## SECTION 14: Transport information

In accordance with UN RTDG / IMDG / IATA

UN RTDG	IMDG	IATA
<b>14.1. UN number</b>		
1823	1823	1823
<b>14.2. UN Proper Shipping Name</b>		
SODIUM HYDROXIDE, SOLID	SODIUM HYDROXIDE, SOLID	Sodium hydroxide, solid
<b>14.3. Transport hazard class(es)</b>		
8	8	8
		
<b>14.4. Packing group</b>		
II	II	II

# ProteClean Green+

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

### 14.5. Environmental hazards

Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available		

### 14.6. Special precautions for user

#### UN RTDG

Limited quantities (UN RTDG) : 1 kg  
Excepted quantities (UN RTDG) : E2  
Packing instruction (UN RTDG) : P002, IBC08  
Special packing provisions (UN RTDG) : B2, B4  
Portable tank and bulk container special instructions (UN RTDG) : T3  
Portable tank and bulk container special provisions (UN RTDG) : TP33

#### IMDG

Limited quantities (IMDG) : 1 kg  
Excepted quantities (IMDG) : E2  
EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE  
EmS-No. (Spillage) : S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES

#### IATA

PCA Excepted quantities (IATA) : E2  
PCA Limited quantities (IATA) : Y844  
PCA limited quantity max net quantity (IATA) : 5kg  
PCA packing instructions (IATA) : 859  
PCA max net quantity (IATA) : 15kg  
CAO max net quantity (IATA) : 50kg

### 14.7. Transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations specific for the product in question

Other information, restriction and prohibition regulations : This safety data sheet is for informational purposes only and does not fully comply with national legal requirements. The national distributor is responsible for a legally compliant safety data sheet.

## SECTION 16: Other information

Issue date : 28/06/2022  
Revision date : 28/06/2022

Data sources : Information provided by the manufacturer. MSDSs of the suppliers. ECHA (European Chemicals Agency).  
Department issuing data specification sheet: : KFT Chemieservice GmbH  
Im Leuschnerpark 3  
D-64347 Griesheim

Phone: +49 6155-8981-400  
Fax: +49 6155 8981-500  
SDS Service: +49 6155 8981-522

Contact person : Julia Wack

Abbreviations and acronyms : ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

# ProteClean Green+

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE - Acute Toxicity Estimate  
BCF - Bioconcentration factor  
CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008  
DMEL - Derived Minimal Effect level  
DNEL - Derived-No Effect Level  
EC50 - Median effective concentration  
IARC - International Agency for Research on Cancer  
IATA - International Air Transport Association  
IMDG - International Maritime Dangerous Goods  
LC50 - Median lethal concentration  
LD50 - Median lethal dose  
LOAEL - Lowest Observed Adverse Effect Level  
NOAEC - No-Observed Adverse Effect Concentration  
NOAEL - No-Observed Adverse Effect Level  
NOEC - No-Observed Effect Concentration  
OECD - Organisation for Economic Co-operation and Development  
PBT - Persistent Bioaccumulative Toxic  
PNEC - Predicted No-Effect Concentration  
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006  
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail  
SDS - Safety Data Sheet  
STP - Sewage treatment plant  
TLM - Median Tolerance Limit  
vPvB - Very Persistent and Very Bioaccumulative  
Other information : Version/s 1.00 is/are not available in this language.

Full text of H-statements:	
H272	May intensify fire; oxidiser
H290	May be corrosive to metals
H302	Harmful if swallowed
H303	May be harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H411	Toxic to aquatic life with long lasting effects

KFT SDS UN 00

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.